

# copyparty

[copyparty](#), [TrueNAS](#)

This application is deployed on TrueNAS but relies on operating system objects that may be lost during reboots or upgrades.

## /etc/fstab

```
//192.168.1.25/D0CS2 /mnt/Movies cifs
credentials=/root/.smbcredentials,vers=3.0,uid=0,gid=0,file_mode=0644,dir_mode=0755,actimeo=1,nounix,_netdev,x-systemd.automount,x-systemd.idle-timeout=30s 0 0
//192.168.1.27/D0CS2 /mnt/Media cifs
credentials=/root/.smbcredentials,vers=1.0,uid=0,gid=0,file_mode=0644,dir_mode=0755,actimeo=1,nounix,_netdev,x-systemd.automount,x-systemd.idle-timeout=30s 0 0

sudo mount -a
```

## copyparty.conf

```
sudo nano /mnt/.ix-apps/app_mounts/copyparty/data/copyparty.conf
```

```
[accounts]
admin: APassword
theteam: AnotherPassword

[/] # this URL will be mapped to...
/srv # ...this folder on the server filesystem

[/tv]
/media/TV
accs:
r: theteam

[/tv comedy]
/media/TV Comedy Series
accs:
r: theteam

[/movies]
/movies
accs:
r: theteam
rw: admin
```

From:

<https://rpi64-wired.seanys.com/> - **It's in The Wiki**

Permanent link:

<https://rpi64-wired.seanys.com/copyparty?rev=1761984196>

Last update: **2025/11/01 16:03**

