copyparty

[copyparty,,](#) [TrueNAS](#)

This application is deployed on TrueNAS but relies on operating system objects that may be lost during reboots or upgrades.

/etc/fstab

```
//192.168.1.23/DOCS2  /mnt/Movies  cifs
credentials=/root/.smbcredentials,vers=3.0,uid=0,gid=0,file_mode=0644,dir_mo
de=0755,actimeo=1,nounix,_netdev,x-systemd.automount,x-systemd.idle-
timeout=30s  0  0
//192.168.1.27/DOCS2  /mnt/Media  cifs
credentials=/root/.smbcredentials,vers=1.0,uid=0,gid=0,file_mode=0644,dir_mo
de=0755,actimeo=1,nounix,_netdev,x-systemd.automount,x-systemd.idle-
timeout=30s  0  0

sudo mount -a
```

copyparty.conf

```
sudo nano /mnt/.ix-apps/app_mounts/copyparty/data/copyparty.conf
```

```
[accounts]
  admin: APassword
  theteam: AnotherPassword

[/]     # this URL will be mapped to...
  /srv  # ...this folder on the server filesystem

[/tv]
  /media/TV
  accs:
    r: theteam

[/tv comedy]
  /media/TV Comedy Series
  accs:
    r: theteam

[/movies]
  /movies
  accs:
    r: theteam
    rw: admin
```

From:
https://rpi64-wired.seanys.com/ - **It's in The Wiki**

Permanent link:
https://rpi64-wired.seanys.com/copyparty?rev=1762406139

Last update: **2025/11/06 13:15**