

X Window install log

```
pi@raspberrypi:~ $ sudo apt-get install geany
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  adwaita-icon-theme at-spi2-core dbus-user-session dconf-gsettings-backend
  dconf-service fontconfig fontconfig-config fonts-dejavu-core geany-common
  glib-networking glib-networking-common
  glib-networking-services gsettings-desktop-schemas gtk-update-icon-cache
  hicolor-icon-theme libatk-bridge2.0-0 libatk1.0-0 libatk1.0-data
  libatspi2.0-0 libavahi-client3 libcairo-gobject2 libcairo2
  libcolord2 libcroco3 libcups2 libdatriel libdconf1 libepoxy0
  libfontconfig1 libgdk-pixbuf2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-
  common libgraphite2-3 libgtk-3-0 libgtk-3-bin libgtk-3-common
  libharfbuzz0b libjbig0 libjson-glib-1.0-0 libjson-glib-1.0-common
  liblcms2-2 libpango-1.0-0 libpangocairo-1.0-0 libpangoft2-1.0-0
  libpixman-1-0 libproxy1v5 librest-0.7-0 librsvg2-2 librsvg2-common
  libsoup-gnome2.4-1 libsoup2.4-1 libthai-data libthai0 libtiff5 libwayland-
  client0 libwayland-cursor0 libwayland-egl1 libwebkit6 libxcb-render0 libxcb-
  shm0 libxcompositel libxcursor1 libxdamage1 libxfixes3
  libxi6 libxinerama1 libxkbcommon0 libxrandr2 libxrender1 libxtst6 x11-
  common
Suggested packages:
  libvte9 doc-base colord cups-common gvfs liblcms2-utils librsvg2-bin
The following NEW packages will be installed:
  adwaita-icon-theme at-spi2-core dbus-user-session dconf-gsettings-backend
  dconf-service fontconfig fontconfig-config fonts-dejavu-core geany geany-
  common glib-networking glib-networking-common
  glib-networking-services gsettings-desktop-schemas gtk-update-icon-cache
  hicolor-icon-theme libatk-bridge2.0-0 libatk1.0-0 libatk1.0-data
  libatspi2.0-0 libavahi-client3 libcairo-gobject2 libcairo2
  libcolord2 libcroco3 libcups2 libdatriel libdconf1 libepoxy0
  libfontconfig1 libgdk-pixbuf2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-
  common libgraphite2-3 libgtk-3-0 libgtk-3-bin libgtk-3-common
  libharfbuzz0b libjbig0 libjson-glib-1.0-0 libjson-glib-1.0-common
  liblcms2-2 libpango-1.0-0 libpangocairo-1.0-0 libpangoft2-1.0-0
  libpixman-1-0 libproxy1v5 librest-0.7-0 librsvg2-2 librsvg2-common
  libsoup-gnome2.4-1 libsoup2.4-1 libthai-data libthai0 libtiff5 libwayland-
  client0 libwayland-cursor0 libwayland-egl1 libwebkit6 libxcb-render0 libxcb-
  shm0 libxcompositel libxcursor1 libxdamage1 libxfixes3
  libxi6 libxinerama1 libxkbcommon0 libxrandr2 libxrender1 libxtst6 x11-
  common
0 upgraded, 72 newly installed, 0 to remove and 0 not upgraded.
Need to get 31.1 MB of archives.
After this operation, 105 MB of additional disk space will be used.
Do you want to continue? [Y/n]
Get:1 http://archive.raspberrypi.org/debian buster/main armhf gtk-update-
```

```
icon-cache armhf 3.24.5-1+rpt2 [80.5 kB]
Get:2 http://mirror.datamossa.io/raspbian buster/main armhf hicolor-icon-
theme all 0.17-2 [11.4 kB]
Get:4 http://archive.raspberrypi.org/debian buster/main armhf libpixmap-1-0
armhf 0.36.0-1+rpt1 [476 kB]
Get:3 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main armhf
libjbig0 armhf 2.1-3.1+b2 [27.6 kB]
Get:6 http://archive.raspberrypi.org/debian buster/main armhf libcairo2
armhf 1.16.0-4+rpt1 [600 kB]
Get:5 http://mirror.datamossa.io/raspbian buster/main armhf libwebp6 armhf
0.6.1-2 [228 kB]
Get:7 http://archive.raspberrypi.org/debian buster/main armhf libcairo-
gobject2 armhf 1.16.0-4+rpt1 [123 kB]
Get:8 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main armhf
libtiff5 armhf 4.1.0+git191117-2~deb10u1 [249 kB]
Get:9 http://archive.raspberrypi.org/debian buster/main armhf libgtk-3-
common all 3.24.5-1+rpt2 [3,680 kB]
Get:10 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf libgdk-pixbuf2.0-common all 2.38.1+dfsg-1 [316 kB]
Get:11 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf libgdk-pixbuf2.0-0 armhf 2.38.1+dfsg-1 [157 kB]
Get:12 http://mirror.datamossa.io/raspbian buster/main armhf fonts-dejavu-
core all 2.37-1 [1,068 kB]
Get:13 http://archive.raspberrypi.org/debian buster/main armhf libgtk-3-0
armhf 3.24.5-1+rpt2 [2,136 kB]
Get:14 http://mirror.datamossa.io/raspbian buster/main armhf fontconfig-
config all 2.13.1-2 [280 kB]
Get:15 http://mirror.datamossa.io/raspbian buster/main armhf libfontconfig1
armhf 2.13.1-2 [327 kB]
Get:16 http://archive.raspberrypi.org/debian buster/main armhf libgtk-3-bin
armhf 3.24.5-1+rpt2 [111 kB]
Get:17 http://mirror.datamossa.io/raspbian buster/main armhf libxcb-render0
armhf 1.13.1-2 [108 kB]
Get:18 http://mirror.datamossa.io/raspbian buster/main armhf libxcb-shm0
armhf 1.13.1-2 [99.3 kB]
Get:19 http://mirror.datamossa.io/raspbian buster/main armhf libxrender1
armhf 1:0.9.10-1 [29.9 kB]
Get:20 http://mirror.datamossa.io/raspbian buster/main armhf libcrococ3 armhf
0.6.12-3 [132 kB]
Get:21 http://mirror.datamossa.io/raspbian buster/main armhf fontconfig
armhf 2.13.1-2 [404 kB]
Get:22 http://mirror.datamossa.io/raspbian buster/main armhf libthai-data
all 0.1.28-2 [170 kB]
Get:23 http://mirror.datamossa.io/raspbian buster/main armhf libdatriel
armhf 0.2.12-2 [35.9 kB]
Get:24 http://mirror.datamossa.io/raspbian buster/main armhf libthai0 armhf
0.1.28-2 [50.9 kB]
Get:25 http://mirror.datamossa.io/raspbian buster/main armhf libpango-1.0-0
armhf 1.42.4-8~deb10u1 [169 kB]
Get:26 http://mirror.datamossa.io/raspbian buster/main armhf libgraphite2-3
armhf 1.3.13-7 [69.6 kB]
```

```
Get:27 http://mirror.datamossa.io/raspbian buster/main armhf libharfbuzz0b
armhf 2.3.1-1 [1,144 kB]
Get:28 http://mirror.datamossa.io/raspbian buster/main armhf
libpangoft2-1.0-0 armhf 1.42.4-8~deb10u1 [62.3 kB]
Get:29 http://mirror.datamossa.io/raspbian buster/main armhf
libpangocairo-1.0-0 armhf 1.42.4-8~deb10u1 [52.0 kB]
Get:30 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf librsvg2-2 armhf 2.44.10-2.1+rpil [967 kB]
Get:31 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf librsvg2-common armhf 2.44.10-2.1+rpil [23.1 kB]
Get:32 http://mirror.datamossa.io/raspbian buster/main armhf adwaita-icon-
theme all 3.30.1-1 [11.7 MB]
Get:35 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf x11-common all 1:7.7+19 [251 kB]
Get:33 http://mirror.datamossa.io/raspbian buster/main armhf libatspi2.0-0
armhf 2.30.0-7 [54.3 kB]
Get:34 http://mirror.datamossa.io/raspbian buster/main armhf libxi6 armhf
2:1.7.9-1 [77.8 kB]
Get:36 http://mirror.datamossa.io/raspbian buster/main armhf libxtst6 armhf
2:1.2.3-1 [26.3 kB]
Get:37 http://mirror.datamossa.io/raspbian buster/main armhf at-spi2-core
armhf 2.30.0-7 [64.6 kB]
Get:38 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf dbus-user-session armhf 1.12.20-0+deb10u1 [94.5 kB]
Get:39 http://mirror.datamossa.io/raspbian buster/main armhf libdconf1 armhf
0.30.1-2 [36.3 kB]
Get:40 http://mirror.datamossa.io/raspbian buster/main armhf dconf-service
armhf 0.30.1-2 [33.3 kB]
Get:41 http://mirror.datamossa.io/raspbian buster/main armhf dconf-
gsettings-backend armhf 0.30.1-2 [24.7 kB]
Get:42 http://mirror.datamossa.io/raspbian buster/main armhf libatk1.0-data
all 2.30.0-2 [145 kB]
Get:43 http://mirror.datamossa.io/raspbian buster/main armhf libatk1.0-0
armhf 2.30.0-2 [42.7 kB]
Get:44 http://mirror.datamossa.io/raspbian buster/main armhf libatk-
bridge2.0-0 armhf 2.30.0-5 [51.1 kB]
Get:45 http://mirror.datamossa.io/raspbian buster/main armhf liblcms2-2
armhf 2.9-3 [116 kB]
Get:46 http://mirror.datamossa.io/raspbian buster/main armhf libcolord2
armhf 1.4.3-4 [119 kB]
Get:47 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf libavahi-client3 armhf 0.7-4+b1 [54.0 kB]
Get:48 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf libcups2 armhf 2.2.10-6+deb10u4 [287 kB]
Get:49 http://mirror.datamossa.io/raspbian buster/main armhf libepoxy0 armhf
1.5.3-0.1 [167 kB]
Get:50 http://mirror.datamossa.io/raspbian buster/main armhf libjson-
glib-1.0-common all 1.4.4-2 [52.3 kB]
Get:51 http://mirror.datamossa.io/raspbian buster/main armhf libjson-
glib-1.0-0 armhf 1.4.4-2 [52.7 kB]
Get:52 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
```

```
armhf libproxylv5 armhf 0.4.15-5+deb10u1 [48.6 kB]
Get:53 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf glib-networking-common all 2.58.0-2+deb10u2 [59.5 kB]
Get:54 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf glib-networking-services armhf 2.58.0-2+deb10u2 [13.2 kB]
Get:55 http://mirror.datamossa.io/raspbian buster/main armhf gsettings-
desktop-schemas all 3.28.1-1 [529 kB]
Get:56 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf glib-networking armhf 2.58.0-2+deb10u2 [47.9 kB]
Get:57 http://mirror.datamossa.io/raspbian buster/main armhf libsoup2.4-1
armhf 2.64.2-2 [216 kB]
Get:58 http://mirror.datamossa.io/raspbian buster/main armhf libsoup-
gnome2.4-1 armhf 2.64.2-2 [17.5 kB]
Get:59 http://mirror.datamossa.io/raspbian buster/main armhf librest-0.7-0
armhf 0.8.1-1 [27.8 kB]
Get:60 http://mirror.datamossa.io/raspbian buster/main armhf libwayland-
client0 armhf 1.16.0-1 [21.2 kB]
Get:61 http://mirror.datamossa.io/raspbian buster/main armhf libwayland-
cursor0 armhf 1.16.0-1 [13.0 kB]
Get:62 http://mirror.datamossa.io/raspbian buster/main armhf libwayland-egl1
armhf 1.16.0-1 [8,008 B]
Get:63 http://mirror.datamossa.io/raspbian buster/main armhf libxcomposite1
armhf 1:0.4.4-2 [16.1 kB]
Get:64 http://mirror.datamossa.io/raspbian buster/main armhf libxfixed3
armhf 1:5.0.3-1 [20.6 kB]
Get:65 http://mirror.datamossa.io/raspbian buster/main armhf libxcursor1
armhf 1:1.1.15-2 [33.5 kB]
Get:66 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf libxdamage1 armhf 1:1.1.4-3+b3 [14.3 kB]
Get:67 http://mirror.datamossa.io/raspbian buster/main armhf libxinerama1
armhf 2:1.1.4-2 [17.3 kB]
Get:68 http://mirror.datamossa.io/raspbian buster/main armhf libxkbcommon0
armhf 0.8.2-1 [110 kB]
Get:69 http://mirror.datamossa.io/raspbian buster/main armhf libxrandr2
armhf 2:1.5.1-1 [34.5 kB]
Get:70 http://mirror.datamossa.io/raspbian buster/main armhf geany-common
all 1.33-1 [2,073 kB]
Get:71 http://mirror.datamossa.io/raspbian buster/main armhf geany armhf
1.33-1 [857 kB]
Get:72 http://mirror.internode.on.net/pub/raspbian/raspbian buster/main
armhf libgdk-pixbuf2.0-bin armhf 2.38.1+dfsg-1 [23.0 kB]
Fetched 31.1 MB in 52s (602 kB/s)
Extracting templates from packages: 100%
Preconfiguring packages ...
Selecting previously unselected package hicolor-icon-theme.
(Reading database ... 42663 files and directories currently installed.)
Preparing to unpack .../00-hicolor-icon-theme_0.17-2_all.deb ...
Unpacking hicolor-icon-theme (0.17-2) ...
Selecting previously unselected package libjbig0:armhf.
Preparing to unpack .../01-libjbig0_2.1-3.1+b2_armhf.deb ...
Unpacking libjbig0:armhf (2.1-3.1+b2) ...
```

```
Selecting previously unselected package libwebp6:armhf.
Preparing to unpack .../02-libwebp6_0.6.1-2_armhf.deb ...
Unpacking libwebp6:armhf (0.6.1-2) ...
Selecting previously unselected package libtiff5:armhf.
Preparing to unpack .../03-libtiff5_4.1.0+git191117-2~deb10u1_armhf.deb ...
Unpacking libtiff5:armhf (4.1.0+git191117-2~deb10u1) ...
Selecting previously unselected package libgdk-pixbuf2.0-common.
Preparing to unpack .../04-libgdk-pixbuf2.0-common_2.38.1+dfsg-1_all.deb ...
Unpacking libgdk-pixbuf2.0-common (2.38.1+dfsg-1) ...
Selecting previously unselected package libgdk-pixbuf2.0-0:armhf.
Preparing to unpack .../05-libgdk-pixbuf2.0-0_2.38.1+dfsg-1_armhf.deb ...
Unpacking libgdk-pixbuf2.0-0:armhf (2.38.1+dfsg-1) ...
Selecting previously unselected package gtk-update-icon-cache.
Preparing to unpack .../06-gtk-update-icon-cache_3.24.5-1+rpt2_armhf.deb ...
No diversion 'diversion of /usr/sbin/update-icon-caches to /usr/sbin/update-
icon-caches.gtk2 by libgtk-3-bin', none removed.
No diversion 'diversion of /usr/share/man/man8/update-icon-caches.8.gz to
/usr/share/man/man8/update-icon-caches.gtk2.8.gz by libgtk-3-bin', none
removed.
Unpacking gtk-update-icon-cache (3.24.5-1+rpt2) ...
Selecting previously unselected package fonts-dejavu-core.
Preparing to unpack .../07-fonts-dejavu-core_2.37-1_all.deb ...
Unpacking fonts-dejavu-core (2.37-1) ...
Selecting previously unselected package fontconfig-config.
Preparing to unpack .../08-fontconfig-config_2.13.1-2_all.deb ...
Unpacking fontconfig-config (2.13.1-2) ...
Selecting previously unselected package libfontconfig1:armhf.
Preparing to unpack .../09-libfontconfig1_2.13.1-2_armhf.deb ...
Unpacking libfontconfig1:armhf (2.13.1-2) ...
Selecting previously unselected package libpixman-1-0:armhf.
Preparing to unpack .../10-libpixman-1-0_0.36.0-1+rpt1_armhf.deb ...
Unpacking libpixman-1-0:armhf (0.36.0-1+rpt1) ...
Selecting previously unselected package libxcb-render0:armhf.
Preparing to unpack .../11-libxcb-render0_1.13.1-2_armhf.deb ...
Unpacking libxcb-render0:armhf (1.13.1-2) ...
Selecting previously unselected package libxcb-shm0:armhf.
Preparing to unpack .../12-libxcb-shm0_1.13.1-2_armhf.deb ...
Unpacking libxcb-shm0:armhf (1.13.1-2) ...
Selecting previously unselected package libxrender1:armhf.
Preparing to unpack .../13-libxrender1_1%3a0.9.10-1_armhf.deb ...
Unpacking libxrender1:armhf (1:0.9.10-1) ...
Selecting previously unselected package libcairo2:armhf.
Preparing to unpack .../14-libcairo2_1.16.0-4+rpt1_armhf.deb ...
Unpacking libcairo2:armhf (1.16.0-4+rpt1) ...
Selecting previously unselected package libcroco3:armhf.
Preparing to unpack .../15-libcroco3_0.6.12-3_armhf.deb ...
Unpacking libcroco3:armhf (0.6.12-3) ...
Selecting previously unselected package fontconfig.
Preparing to unpack .../16-fontconfig_2.13.1-2_armhf.deb ...
Unpacking fontconfig (2.13.1-2) ...
Selecting previously unselected package libthai-data.
```

```
Preparing to unpack .../17-libthai-data_0.1.28-2_all.deb ...
Unpacking libthai-data (0.1.28-2) ...
Selecting previously unselected package libdatriel:armhf.
Preparing to unpack .../18-libdatriel_0.2.12-2_armhf.deb ...
Unpacking libdatriel:armhf (0.2.12-2) ...
Selecting previously unselected package libthai0:armhf.
Preparing to unpack .../19-libthai0_0.1.28-2_armhf.deb ...
Unpacking libthai0:armhf (0.1.28-2) ...
Selecting previously unselected package libpango-1.0-0:armhf.
Preparing to unpack .../20-libpango-1.0-0_1.42.4-8~deb10u1_armhf.deb ...
Unpacking libpango-1.0-0:armhf (1.42.4-8~deb10u1) ...
Selecting previously unselected package libgraphite2-3:armhf.
Preparing to unpack .../21-libgraphite2-3_1.3.13-7_armhf.deb ...
Unpacking libgraphite2-3:armhf (1.3.13-7) ...
Selecting previously unselected package libharfbuzz0b:armhf.
Preparing to unpack .../22-libharfbuzz0b_2.3.1-1_armhf.deb ...
Unpacking libharfbuzz0b:armhf (2.3.1-1) ...
Selecting previously unselected package libpangoft2-1.0-0:armhf.
Preparing to unpack .../23-libpangoft2-1.0-0_1.42.4-8~deb10u1_armhf.deb ...
Unpacking libpangoft2-1.0-0:armhf (1.42.4-8~deb10u1) ...
Selecting previously unselected package libpangocairo-1.0-0:armhf.
Preparing to unpack .../24-libpangocairo-1.0-0_1.42.4-8~deb10u1_armhf.deb
...
Unpacking libpangocairo-1.0-0:armhf (1.42.4-8~deb10u1) ...
Selecting previously unselected package librsvg2-2:armhf.
Preparing to unpack .../25-librsvg2-2_2.44.10-2.1+rpi1_armhf.deb ...
Unpacking librsvg2-2:armhf (2.44.10-2.1+rpi1) ...
Selecting previously unselected package librsvg2-common:armhf.
Preparing to unpack .../26-librsvg2-common_2.44.10-2.1+rpi1_armhf.deb ...
Unpacking librsvg2-common:armhf (2.44.10-2.1+rpi1) ...
Selecting previously unselected package adwaita-icon-theme.
Preparing to unpack .../27-adwaita-icon-theme_3.30.1-1_all.deb ...
Unpacking adwaita-icon-theme (3.30.1-1) ...
Selecting previously unselected package libatspi2.0-0:armhf.
Preparing to unpack .../28-libatspi2.0-0_2.30.0-7_armhf.deb ...
Unpacking libatspi2.0-0:armhf (2.30.0-7) ...
Selecting previously unselected package libxi6:armhf.
Preparing to unpack .../29-libxi6_2%3a1.7.9-1_armhf.deb ...
Unpacking libxi6:armhf (2:1.7.9-1) ...
Selecting previously unselected package x11-common.
Preparing to unpack .../30-x11-common_1%3a7.7+19_all.deb ...
Unpacking x11-common (1:7.7+19) ...
Selecting previously unselected package libxtst6:armhf.
Preparing to unpack .../31-libxtst6_2%3a1.2.3-1_armhf.deb ...
Unpacking libxtst6:armhf (2:1.2.3-1) ...
Selecting previously unselected package at-spi2-core.
Preparing to unpack .../32-at-spi2-core_2.30.0-7_armhf.deb ...
Unpacking at-spi2-core (2.30.0-7) ...
Selecting previously unselected package dbus-user-session.
Preparing to unpack .../33-dbus-user-session_1.12.20-0+deb10u1_armhf.deb ...
Unpacking dbus-user-session (1.12.20-0+deb10u1) ...
```

```
Selecting previously unselected package libdconf1:armhf.
Preparing to unpack .../34-libdconf1_0.30.1-2_armhf.deb ...
Unpacking libdconf1:armhf (0.30.1-2) ...
Selecting previously unselected package dconf-service.
Preparing to unpack .../35-dconf-service_0.30.1-2_armhf.deb ...
Unpacking dconf-service (0.30.1-2) ...
Selecting previously unselected package dconf-gsettings-backend:armhf.
Preparing to unpack .../36-dconf-gsettings-backend_0.30.1-2_armhf.deb ...
Unpacking dconf-gsettings-backend:armhf (0.30.1-2) ...
Selecting previously unselected package libatk1.0-data.
Preparing to unpack .../37-libatk1.0-data_2.30.0-2_all.deb ...
Unpacking libatk1.0-data (2.30.0-2) ...
Selecting previously unselected package libatk1.0-0:armhf.
Preparing to unpack .../38-libatk1.0-0_2.30.0-2_armhf.deb ...
Unpacking libatk1.0-0:armhf (2.30.0-2) ...
Selecting previously unselected package libcairo-gobject2:armhf.
Preparing to unpack .../39-libcairo-gobject2_1.16.0-4+rpt1_armhf.deb ...
Unpacking libcairo-gobject2:armhf (1.16.0-4+rpt1) ...
Selecting previously unselected package libatk-bridge2.0-0:armhf.
Preparing to unpack .../40-libatk-bridge2.0-0_2.30.0-5_armhf.deb ...
Unpacking libatk-bridge2.0-0:armhf (2.30.0-5) ...
Selecting previously unselected package liblcms2-2:armhf.
Preparing to unpack .../41-liblcms2-2_2.9-3_armhf.deb ...
Unpacking liblcms2-2:armhf (2.9-3) ...
Selecting previously unselected package libcolor2:armhf.
Preparing to unpack .../42-libcolor2_1.4.3-4_armhf.deb ...
Unpacking libcolor2:armhf (1.4.3-4) ...
Selecting previously unselected package libavahi-client3:armhf.
Preparing to unpack .../43-libavahi-client3_0.7-4+b1_armhf.deb ...
Unpacking libavahi-client3:armhf (0.7-4+b1) ...
Selecting previously unselected package libcups2:armhf.
Preparing to unpack .../44-libcups2_2.2.10-6+deb10u4_armhf.deb ...
Unpacking libcups2:armhf (2.2.10-6+deb10u4) ...
Selecting previously unselected package libepoxy0:armhf.
Preparing to unpack .../45-libepoxy0_1.5.3-0.1_armhf.deb ...
Unpacking libepoxy0:armhf (1.5.3-0.1) ...
Selecting previously unselected package libjson-glib-1.0-common.
Preparing to unpack .../46-libjson-glib-1.0-common_1.4.4-2_all.deb ...
Unpacking libjson-glib-1.0-common (1.4.4-2) ...
Selecting previously unselected package libjson-glib-1.0-0:armhf.
Preparing to unpack .../47-libjson-glib-1.0-0_1.4.4-2_armhf.deb ...
Unpacking libjson-glib-1.0-0:armhf (1.4.4-2) ...
Selecting previously unselected package libproxy1v5:armhf.
Preparing to unpack .../48-libproxy1v5_0.4.15-5+deb10u1_armhf.deb ...
Unpacking libproxy1v5:armhf (0.4.15-5+deb10u1) ...
Selecting previously unselected package glib-networking-common.
Preparing to unpack .../49-glib-networking-common_2.58.0-2+deb10u2_all.deb
...
Unpacking glib-networking-common (2.58.0-2+deb10u2) ...
Selecting previously unselected package glib-networking-services.
Preparing to unpack .../50-glib-networking-
```

```
services_2.58.0-2+deb10u2_armhf.deb ...
Unpacking glib-networking-services (2.58.0-2+deb10u2) ...
Selecting previously unselected package gsettings-desktop-schemas.
Preparing to unpack .../51-gsettings-desktop-schemas_3.28.1-1_all.deb ...
Unpacking gsettings-desktop-schemas (3.28.1-1) ...
Selecting previously unselected package glib-networking:armhf.
Preparing to unpack .../52-glib-networking_2.58.0-2+deb10u2_armhf.deb ...
Unpacking glib-networking:armhf (2.58.0-2+deb10u2) ...
Selecting previously unselected package libsoup2.4-1:armhf.
Preparing to unpack .../53-libsoup2.4-1_2.64.2-2_armhf.deb ...
Unpacking libsoup2.4-1:armhf (2.64.2-2) ...
Selecting previously unselected package libsoup-gnome2.4-1:armhf.
Preparing to unpack .../54-libsoup-gnome2.4-1_2.64.2-2_armhf.deb ...
Unpacking libsoup-gnome2.4-1:armhf (2.64.2-2) ...
Selecting previously unselected package librest-0.7-0:armhf.
Preparing to unpack .../55-librest-0.7-0_0.8.1-1_armhf.deb ...
Unpacking librest-0.7-0:armhf (0.8.1-1) ...
Selecting previously unselected package libwayland-client0:armhf.
Preparing to unpack .../56-libwayland-client0_1.16.0-1_armhf.deb ...
Unpacking libwayland-client0:armhf (1.16.0-1) ...
Selecting previously unselected package libwayland-cursor0:armhf.
Preparing to unpack .../57-libwayland-cursor0_1.16.0-1_armhf.deb ...
Unpacking libwayland-cursor0:armhf (1.16.0-1) ...
Selecting previously unselected package libwayland-egl1:armhf.
Preparing to unpack .../58-libwayland-egl1_1.16.0-1_armhf.deb ...
Unpacking libwayland-egl1:armhf (1.16.0-1) ...
Selecting previously unselected package libxcompositel1:armhf.
Preparing to unpack .../59-libxcompositel1_1%3a0.4.4-2_armhf.deb ...
Unpacking libxcompositel1:armhf (1:0.4.4-2) ...
Selecting previously unselected package libxfixes3:armhf.
Preparing to unpack .../60-libxfixes3_1%3a5.0.3-1_armhf.deb ...
Unpacking libxfixes3:armhf (1:5.0.3-1) ...
Selecting previously unselected package libxcursor1:armhf.
Preparing to unpack .../61-libxcursor1_1%3a1.1.15-2_armhf.deb ...
Unpacking libxcursor1:armhf (1:1.1.15-2) ...
Selecting previously unselected package libxdamage1:armhf.
Preparing to unpack .../62-libxdamage1_1%3a1.1.4-3+b3_armhf.deb ...
Unpacking libxdamage1:armhf (1:1.1.4-3+b3) ...
Selecting previously unselected package libxinerama1:armhf.
Preparing to unpack .../63-libxinerama1_2%3a1.1.4-2_armhf.deb ...
Unpacking libxinerama1:armhf (2:1.1.4-2) ...
Selecting previously unselected package libxkbcommon0:armhf.
Preparing to unpack .../64-libxkbcommon0_0.8.2-1_armhf.deb ...
Unpacking libxkbcommon0:armhf (0.8.2-1) ...
Selecting previously unselected package libxrandr2:armhf.
Preparing to unpack .../65-libxrandr2_2%3a1.5.1-1_armhf.deb ...
Unpacking libxrandr2:armhf (2:1.5.1-1) ...
Selecting previously unselected package libgtk-3-common.
Preparing to unpack .../66-libgtk-3-common_3.24.5-1+rpt2_all.deb ...
Unpacking libgtk-3-common (3.24.5-1+rpt2) ...
Selecting previously unselected package libgtk-3-0:armhf.
```

```
Preparing to unpack .../67-libgtk-3-0_3.24.5-1+rpt2_armhf.deb ...
Unpacking libgtk-3-0:armhf (3.24.5-1+rpt2) ...
Selecting previously unselected package geany-common.
Preparing to unpack .../68-geany-common_1.33-1_all.deb ...
Unpacking geany-common (1.33-1) ...
Selecting previously unselected package geany.
Preparing to unpack .../69-geany_1.33-1_armhf.deb ...
Unpacking geany (1.33-1) ...
Selecting previously unselected package libgdk-pixbuf2.0-bin.
Preparing to unpack .../70-libgdk-pixbuf2.0-bin_2.38.1+dfsg-1_armhf.deb ...
Unpacking libgdk-pixbuf2.0-bin (2.38.1+dfsg-1) ...
Selecting previously unselected package libgtk-3-bin.
Preparing to unpack .../71-libgtk-3-bin_3.24.5-1+rpt2_armhf.deb ...
Unpacking libgtk-3-bin (3.24.5-1+rpt2) ...
Setting up libgraphite2-3:armhf (1.3.13-7) ...
Setting up liblcms2-2:armhf (2.9-3) ...
Setting up libpixmap-1-0:armhf (0.36.0-1+rpt1) ...
Setting up libproxy1v5:armhf (0.4.15-5+deb10u1) ...
Setting up hicolor-icon-theme (0.17-2) ...
Setting up geany-common (1.33-1) ...
Setting up libxi6:armhf (2:1.7.9-1) ...
Setting up libxrender1:armhf (1:0.9.10-1) ...
Setting up libdatriel:armhf (0.2.12-2) ...
Setting up libxcb-render0:armhf (1.13.1-2) ...
Setting up libgdk-pixbuf2.0-common (2.38.1+dfsg-1) ...
Setting up x11-common (1:7.7+19) ...
update-rc.d: warning: start and stop actions are no longer supported;
falling back to defaults
Setting up libxcb-shm0:armhf (1.13.1-2) ...
Setting up libatspi2.0-0:armhf (2.30.0-7) ...
Setting up libjbig0:armhf (2.1-3.1+b2) ...
Setting up libcolor2:armhf (1.4.3-4) ...
Setting up libdconf1:armhf (0.30.1-2) ...
Setting up dbus-user-session (1.12.20-0+deb10u1) ...
Setting up libepoxy0:armhf (1.5.3-0.1) ...
Setting up libxfixes3:armhf (1:5.0.3-1) ...
Setting up libxinerama1:armhf (2:1.1.4-2) ...
Setting up libxrandr2:armhf (2:1.5.1-1) ...
Setting up libwebp6:armhf (0.6.1-2) ...
Setting up libcroco3:armhf (0.6.12-3) ...
Setting up fonts-dejavu-core (2.37-1) ...
Setting up libatk1.0-data (2.30.0-2) ...
Setting up libharfbuzz0b:armhf (2.3.1-1) ...
Setting up libthai-data (0.1.28-2) ...
Setting up libjson-glib-1.0-common (1.4.4-2) ...
Setting up libatk1.0-0:armhf (2.30.0-2) ...
Setting up libtiff5:armhf (4.1.0+git191117-2~deb10u1) ...
Setting up libwayland-egl1:armhf (1.16.0-1) ...
Setting up glib-networking-common (2.58.0-2+deb10u2) ...
Setting up libxcomposite1:armhf (1:0.4.4-2) ...
Setting up libavahi-client3:armhf (0.7-4+b1) ...
```

```
Setting up libxkbcommon0:armhf (0.8.2-1) ...
Setting up libwayland-client0:armhf (1.16.0-1) ...
Setting up glib-networking-services (2.58.0-2+deb10u2) ...
Setting up libxdamage1:armhf (1:1.1.4-3+b3) ...
Setting up fontconfig-config (2.13.1-2) ...
Setting up libxtst6:armhf (2:1.2.3-1) ...
Setting up libxcursor1:armhf (1:1.1.15-2) ...
Setting up dconf-service (0.30.1-2) ...
Setting up libjson-glib-1.0-0:armhf (1.4.4-2) ...
Setting up libatk-bridge2.0-0:armhf (2.30.0-5) ...
Setting up libthai0:armhf (0.1.28-2) ...
Setting up libgdk-pixbuf2.0-0:armhf (2.38.1+dfsg-1) ...
Setting up libcups2:armhf (2.2.10-6+deb10u4) ...
Setting up at-spi2-core (2.30.0-7) ...
Setting up libgdk-pixbuf2.0-bin (2.38.1+dfsg-1) ...
Setting up libwayland-cursor0:armhf (1.16.0-1) ...
Setting up libfontconfig1:armhf (2.13.1-2) ...
Setting up gtk-update-icon-cache (3.24.5-1+rpt2) ...
Setting up fontconfig (2.13.1-2) ...
Regenerating fonts cache... done.
Setting up dconf-gsettings-backend:armhf (0.30.1-2) ...
Setting up libpango-1.0-0:armhf (1.42.4-8~deb10u1) ...
Setting up libcairo2:armhf (1.16.0-4+rpt1) ...
Setting up libcairo-gobject2:armhf (1.16.0-4+rpt1) ...
Setting up libpangoft2-1.0-0:armhf (1.42.4-8~deb10u1) ...
Setting up libgtk-3-common (3.24.5-1+rpt2) ...
Setting up libpangocairo-1.0-0:armhf (1.42.4-8~deb10u1) ...
Setting up gsettings-desktop-schemas (3.28.1-1) ...
Setting up librsvg2-2:armhf (2.44.10-2.1+rpil) ...
Setting up librsvg2-common:armhf (2.44.10-2.1+rpil) ...
Setting up adwaita-icon-theme (3.30.1-1) ...
update-alternatives: using /usr/share/icons/Adwaita/cursor.theme to provide
/usr/share/icons/default/index.theme (x-cursor-theme) in auto mode
Processing triggers for mime-support (3.62) ...
Processing triggers for libglib2.0-0:armhf (2.58.3-2+deb10u2) ...
Processing triggers for libc-bin (2.28-10+rpil) ...
Processing triggers for systemd (241-7~deb10u6+rpil) ...
Processing triggers for man-db (2.8.5-2) ...
Setting up glib-networking:armhf (2.58.0-2+deb10u2) ...
Setting up libsoup2.4-1:armhf (2.64.2-2) ...
Setting up libsoup-gnome2.4-1:armhf (2.64.2-2) ...
Setting up librest-0.7-0:armhf (0.8.1-1) ...
Setting up libgtk-3-0:armhf (3.24.5-1+rpt2) ...
Setting up libgtk-3-bin (3.24.5-1+rpt2) ...
Setting up geany (1.33-1) ...
Processing triggers for libgdk-pixbuf2.0-0:armhf (2.38.1+dfsg-1) ...
Processing triggers for libc-bin (2.28-10+rpil) ...
```

References

Taking Advantage of X Windows on Raspberry Pi -

<https://www.element14.com/community/community/raspberry-pi/blog/2016/02/02/taking-advantage-of-x-windows-on-raspberry-pi> ENABLE ROOT LOGIN OVER SSH -

https://access.redhat.com/documentation/en-us/red_hat_enterprise_linux/6/html/v2v_guide/preparation_before_the_p2v_migration-enable_root_login_over_ssh

From:

<https://rpi64-wired.seanys.com/> - **It's in The Wiki**

Permanent link:

https://rpi64-wired.seanys.com/install_x_window

Last update: **2021/04/26 10:55**

