

sendmail install log

```
root@raspberrypi:~# apt-get install sendmail
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages were automatically installed and are no longer
required:
  libgnutls-dane0 libunbound8 libxcb-image0 libxcb-util0
Use 'apt autoremove' to remove them.
The following additional packages will be installed:
  liblockfile-bin liblockfile1 libsigsegv2 lockfile-progs m4 procmail
sendmail-base sendmail-bin sendmail-cf sensible-mda
Suggested packages:
  m4-doc sendmail-doc rmail logcheck sasl2-bin libsasl2-modules
The following packages will be REMOVED:
  exim4-base exim4-config exim4-daemon-light
The following NEW packages will be installed:
  liblockfile-bin liblockfile1 libsigsegv2 lockfile-progs m4 procmail
sendmail sendmail-base sendmail-bin sendmail-cf sensible-mda
0 upgraded, 11 newly installed, 3 to remove and 0 not upgraded.
Need to get 2,107 kB of archives.
After this operation, 783 kB of additional disk space will be used.
Do you want to continue? [Y/n]
Get:1 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
libsigsegv2 armhf 2.12-2 [32.3 kB]
Get:2 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf m4
armhf 1.4.18-2 [185 kB]
Get:3 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
liblockfile-bin armhf 1.14-1.1 [18.9 kB]
Get:4 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
liblockfile1 armhf 1.14-1.1 [15.3 kB]
Get:5 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
lockfile-progs armhf 0.1.18 [9,828 B]
Get:6 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
sendmail-base all 8.15.2-14~deb10u1 [343 kB]
Get:7 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
sendmail-cf all 8.15.2-14~deb10u1 [292 kB]
Get:8 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
sendmail-bin armhf 8.15.2-14~deb10u1 [634 kB]
Get:9 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
procmail armhf 3.22-26 [129 kB]
Get:10 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
sensible-mda armhf 8.15.2-14~deb10u1 [225 kB]
Get:11 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
sendmail all 8.15.2-14~deb10u1 [223 kB]
Fetched 2,107 kB in 11s (191 kB/s)
(Reading database ... 64085 files and directories currently installed.)
Removing exim4-daemon-light (4.92-8+deb10u4) ...
```

```
Removing exim4-base (4.92-8+deb10u4) ...
Removing exim4-config (4.92-8+deb10u4) ...
Selecting previously unselected package libsigsegv2:armhf.
(Reading database ... 63951 files and directories currently installed.)
Preparing to unpack .../00-libsigsegv2_2.12-2_armhf.deb ...
Unpacking libsigsegv2:armhf (2.12-2) ...
Selecting previously unselected package m4.
Preparing to unpack .../01-m4_1.4.18-2_armhf.deb ...
Unpacking m4 (1.4.18-2) ...
Selecting previously unselected package liblockfile-bin.
Preparing to unpack .../02-liblockfile-bin_1.14-1.1_armhf.deb ...
Unpacking liblockfile-bin (1.14-1.1) ...
Selecting previously unselected package liblockfile1:armhf.
Preparing to unpack .../03-liblockfile1_1.14-1.1_armhf.deb ...
Unpacking liblockfile1:armhf (1.14-1.1) ...
Selecting previously unselected package lockfile-progs.
Preparing to unpack .../04-lockfile-progs_0.1.18_armhf.deb ...
Unpacking lockfile-progs (0.1.18) ...
Selecting previously unselected package sendmail-base.
Preparing to unpack .../05-sendmail-base_8.15.2-14~deb10u1_all.deb ...
Unpacking sendmail-base (8.15.2-14~deb10u1) ...
Selecting previously unselected package sendmail-cf.
Preparing to unpack .../06-sendmail-cf_8.15.2-14~deb10u1_all.deb ...
Unpacking sendmail-cf (8.15.2-14~deb10u1) ...
Selecting previously unselected package sendmail-bin.
Preparing to unpack .../07-sendmail-bin_8.15.2-14~deb10u1_armhf.deb ...
Unpacking sendmail-bin (8.15.2-14~deb10u1) ...
Selecting previously unselected package procmail.
Preparing to unpack .../08-procmail_3.22-26_armhf.deb ...
Unpacking procmail (3.22-26) ...
Selecting previously unselected package sensible-mda.
Preparing to unpack .../09-sensible-mda_8.15.2-14~deb10u1_armhf.deb ...
Unpacking sensible-mda (8.15.2-14~deb10u1) ...
Selecting previously unselected package sendmail.
Preparing to unpack .../10-sendmail_8.15.2-14~deb10u1_all.deb ...
Unpacking sendmail (8.15.2-14~deb10u1) ...
Setting up liblockfile-bin (1.14-1.1) ...
Setting up libsigsegv2:armhf (2.12-2) ...
Setting up procmail (3.22-26) ...
Setting up liblockfile1:armhf (1.14-1.1) ...
Setting up m4 (1.4.18-2) ...
Setting up lockfile-progs (0.1.18) ...
Setting up sendmail-cf (8.15.2-14~deb10u1) ...
Setting up sendmail-base (8.15.2-14~deb10u1) ...
adduser: Warning: The home directory `/var/lib/sendmail' does not belong to
the user you are currently creating.
Setting up sendmail-bin (8.15.2-14~deb10u1) ...
update-alternatives: using /usr/lib/sm.bin/sendmail to provide
/usr/sbin/sendmail-mta (sendmail-mta) in auto mode
update-alternatives: using /usr/lib/sm.bin/sendmail to provide
/usr/sbin/sendmail-msp (sendmail-msp) in auto mode
```



```
Writing /etc/cron.d/sendmail.
Disabling HOST statistics file(/var/lib/sendmail/host_status).
Creating /etc/mail/sendmail.cf...
Creating /etc/mail/submit.cf...
Informational: confCR_FILE file empty: /etc/mail/relay-domains
Warning: confCT_FILE source file not found: /etc/mail/trusted-users
it was created
Informational: confCT_FILE file empty: /etc/mail/trusted-users
Warning: confCW_FILE source file not found: /etc/mail/local-host-names
it was created
Warning: access_db source file not found: /etc/mail/access
it was created
Updating /etc/mail/access...
Linking /etc/aliases to /etc/mail/aliases
Updating /etc/mail/aliases...
WARNING: local host name (raspberrypi) is not qualified; see cf/README: WHO
AM I?
/etc/mail/aliases: 12 aliases, longest 10 bytes, 134 bytes total

Warning: 3 database(s) sources
were not found, (but were created)
please investigate.
Setting up sensible-mda (8.15.2-14~deb10u1) ...
Setting up sendmail (8.15.2-14~deb10u1) ...
Processing triggers for install-info (6.5.0.dfsg.1-4+b1) ...
Processing triggers for libc-bin (2.28-10+rpil) ...
Processing triggers for systemd (241-7~deb10u6+rpil) ...
Processing triggers for man-db (2.8.5-2) ...
root@raspberrypi:~# ps -e | grep sendmail
4308 ?          00:00:00 sendmail-mta
root@raspberrypi:~# apt-get install sendmail libsasl2-modules
Reading package lists... Done
Building dependency tree
Reading state information... Done
sendmail is already the newest version (8.15.2-14~deb10u1).
The following packages were automatically installed and are no longer
required:
 libgnutls-dane0 libunbound8 libxcb-image0 libxcb-util0
Use 'apt autoremove' to remove them.
Suggested packages:
 libsasl2-modules-gssapi-mit | libsasl2-modules-gssapi-heimdal libsasl2-
modules-ldap libsasl2-modules-otp libsasl2-modules-sql
The following NEW packages will be installed:
 libsasl2-modules
0 upgraded, 1 newly installed, 0 to remove and 0 not upgraded.
Need to get 96.3 kB of archives.
After this operation, 240 kB of additional disk space will be used.
Do you want to continue? [Y/n]
Get:1 http://mirror.aarnet.edu.au/pub/raspbian/raspbian buster/main armhf
libsasl2-modules armhf 2.1.27+dfsg-1+deb10u1 [96.3 kB]
Fetched 96.3 kB in 5s (19.0 kB/s)
```

```
Selecting previously unselected package libsasl2-modules:armhf.  
(Reading database ... 64526 files and directories currently installed.)  
Preparing to unpack .../libsasl2-modules_2.1.27+dfsg-1+deb10u1_armhf.deb ...  
Unpacking libsasl2-modules:armhf (2.1.27+dfsg-1+deb10u1) ...  
Setting up libsasl2-modules:armhf (2.1.27+dfsg-1+deb10u1) ...
```

From:

<https://rpi64-wired.seanys.com/> - **It's in The Wiki**

Permanent link:

<https://rpi64-wired.seanys.com/sendmail>

Last update: **2021/04/26 10:54**

