

WHITERUN

Container Station

Update process

1. Pull the latest version of the images of the containers: in Container Station / Images click on the gear icon and select "Pull" from the menu. Indicate the image name and indicate the version you like or leave as it

defaults to "latest". Wait for the background process to finish the download.

1. Go to the "Applications" tab, select the Container, click on the "Edit" button dropdown, and select "Recreate."
2. Click on "Update" without changing anything else. The containers for which the base images have changed will automatically be rebuilt.
3. Return to Images and check that the older image is now "Unused" and delete it.

Nextcloud

Manual upgrade

```
docker exec -u 33 -it nextcloud php occ maintenance:mode --on
docker exec -u 33 -it nextcloud php occ upgrade
docker exec -u 33 -it nextcloud php occ maintenance:mode --off
```

Edit config

```
sudo nano /share/CACHEDEV1_DATA/Container/container-station-
data/lib/docker/volumes/nextcloud_nextcloud/_data/config/config.php
```

Docker compose file (E:\Developed\Docke\WHITERUN\Nextcloud.txt)

```
version: '2'

volumes:
  nextcloud:

networks:
  app-tier:
    driver: bridge

services:
  app_nextcloud:
    image: nextcloud
    container_name: nextcloud
```

```
restart: unless-stopped
networks:
  - app-tier
ports:
  - 8082:80
volumes:
  - nextcloud:/var/www/html
environment:
  - PUID=1000
  - PGID=1000
  - TZ=Australia/Perth
  - MYSQL_PASSWORD=go.]3BUEzfICjhs(
  - MYSQL_DATABASE=nextcloud_whiterun
  - MYSQL_USER=nextcloud_whiterun
  - MYSQL_HOST=rpi64-wired
```

(Mostly) working config

```
<?php
$CONFIG = array (
  'htaccess.RewriteBase' => '/',
  'memcache.local' => '\\0C\\Memcache\\APCu',
  'apps_paths' =>
  array (
    0 =>
    array (
      'path' => '/var/www/html/apps',
      'url' => '/apps',
      'writable' => false,
    ),
    1 =>
    array (
      'path' => '/var/www/html/custom_apps',
      'url' => '/custom_apps',
      'writable' => true,
    ),
  ),
  'upgrade.disable-web' => true,
  'instanceid' => 'ocxseolca8zi',
  'passwordsalt' => '0FQ0LHBsmIYjSnCwkKlEAe90HIgqH6',
  'secret' => 'pkZXebzcZoDT8XefCUfd8mMl7UDeQd2Ggu2qzj+E6m7aEQmT',
  'trusted_domains' =>
  array (
    0 => 'whiterun:8082',
    1 => 'nextcloud.phlaange.duckdns.org',
    2 => 'whiterun.lan:8082',
    3 => 'cloud.seanys.com',
  ),
  'datadirectory' => '/var/www/html/data',
  'dbtype' => 'mysql',
  'version' => '28.0.1.1',
```

```
'overwrite.cli.url' => 'https://nextcloud.phlaange.duckdns.org',  
'overwriteprotocol' => 'https',  
'dbname' => 'nextcloud_whiterun',  
'dbhost' => 'rpi64-wired',  
'dbport' => '',  
'dbtableprefix' => 'oc_',  
'mysql.utf8mb4' => true,  
'dbuser' => 'nextcloud_whiterun',  
'dbpassword' => 'go.]3BUEzfICjhs(',  
'installed' => true,  
);
```

References

[HOW TO] [Quick and easy way to update applications' containers base image](#)

[WHITERUN, [NextCloud](#)]

From:

<https://rpi64-wired.seanys.com/> - **It's in The Wiki**

Permanent link:

<https://rpi64-wired.seanys.com/whiterun?rev=1727626721>

Last update: **2024/09/30 00:18**

